




APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ SURFACE WATER

☒ GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION
(GRAY BOXES FOR OFFICE USE ONLY)



APPLICATION NO. 6431493	W.R.I.A. 31	COUNTY Benton	PRIORITY DATE 10/2/92	TIME	ACCEPTED <i>mjcy</i>
-----------------------------------	-----------------------	-------------------------	---------------------------------	------	-------------------------

APPLICANT'S NAME - PLEASE PRINT

Mrs. Wilma Blair

Bus. Tel. _____
Home Tel. **(509) 783-8576**
Other Tel. _____

ADDRESS (STREET) (CITY) (STATE) (ZIP CODE)
2401 West Canal Drive - Apt. #6 **Kennewick,** **Washington** **99336**

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER

SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)

TRIBUTARY

IF GROUND WATER

SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.)

2 Wells

SIZE AND DEPTH

6" diameter and 120 feet deep

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)

Domestic water supply and yard irrigation water.

ENTER QUANTITY OF WATER
REQUESTED USING UNITS OF:

CUBIC FEET PER SECOND (CFS)

OR

GALLONS PER MINUTE (GPM)

200 GPM

ACRE FEET PER YEAR

80

TIMES DURING YEAR WATER WILL BE REQUIRED

January 1 through December 31

IF IRRIGATION, NUMBER OF ACRES

20 acres

IF DOMESTIC USE, NUMBER OF
UNITS BY TYPE, E.G. 1-HOME,
1-MOBILE HOME, 2-CAMPSITES, ETC.

1 home

IF MUNICIPAL USE, ESTIMATED
POPULATION
20 YEARS FROM TODAY

DATE PROJECT WAS OR WILL BE STARTED
APRIL 1993

DATE PROJECT WAS OR WILL BE COMPLETED
APRIL OF 1994

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	---------	------	-------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

Bordered by Terrill Road to the South and Nine Canyon Road to the East.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)

SE 1/4 of the NE 1/4 of

SECTION

28

TOWNSHIP N.

8 North

RANGE (E. OR W.) W.M.

30 East, WM

COUNTY

Benton County, WA

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER

YES

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

Parcel 2 Tax Parcel #1-2880-100-0002-003: Access easement over and across the North 30 feet thereof, the South 898.68 feet of the Southeast Quarter of the Northeast Quarter of Section 28, Township 8 North, Range 30 East, Willamette Meridian in Benton County EXCEPT the South 30 feet thereof for road. Subject to an access easement over and across the West 30 feet thereof.

APPLICATION

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

Property owner.

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

☐ YES

☒ NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

100 GPM Capacity produced by 7.5 HP submersible pump on a 3" diameter pump colum. This should be enough pressure to run 10 sprinkler heads at one time.

REMARKS

7. We need this permit as soon as possible so that we may obtain our building permit and proceed with the developement of this parcel of land.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Wilma Blair

APPLICANT'S SIGNATURE

Wilma Blair

LEGAL LANDOWNERS NAME
(PLEASE PRINT)

SAME

LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY
DESCRIBED IN ITEM NUMBER 5)

2401 WEST CANAL DR. KENNEDIE WA 98336

LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

} SS.


This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

.....
In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....

SECTION MAP

Sec. 28 Twp. 8 NORTH N. R. 30 EAST WILLAMETTE MERIDIAN
 BENTON COUNTY, WASHINGTON
 Lying southeast of Kennewick Washington




Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile. Indicate traveling directions from nearest town in space below.

To arrive at the subject property from Kennewick, Washington you travel out
 Chemical Drive approximately 4 miles, turn right at the intersection of
 Chemical and Haney Road. Travel on Haney Road to the foot of the hills and
 continue on to the top of the first rise and Terrill Road is to your right at
 the top of the first plateau. The property is approximately 310 feet in from
 the corner of Nine Canyon Road on Terrill Road.

Detach here

Fold along scale



431493

Detach this scale at the perforation, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.